

RODGERS SPEED & MACHINE
5380 raymond way
central point or 97502
(541) 301-7869

Date : 03-19-2026 Time : 18:51:47
INF=.69 Mode : A-Sweep

T18:51 D03-19
Timming:28 pri:86 sec:92
lash in:.020ex:.020 hot
carb:1030qf spacer:1"

Engine Type:427 ford clevor
Customer:sean gonzalis/rob hubbard
1 3/4to 3" no muff fuel:10011

FileName : BILLM427.D20

Speed	C_TQ	CPower	Power	Fuel_P	bsfcalcalc/lbsA/F	A/F
rpm	lbft	C_HP	HP	psi	lb/hphrlb/hr	Left Right
5200	557.7	552.2	500.1	5	.553 277.8	12.43 13.04
5300	564.1	569.3	515.6	5	.573 286.6	12.51 12.86
5400	567.3	583.3	527.9	5	.583 300.8	12.67 12.66
5500	565.2	591.9	535.7	5	.596 315	12.76 12.57
5600	564.5	601.9	544.3	5	.603 323.3	12.7 12.48
5700	562.9	610.9	552.4	5	.604 329.2	12.91 12.21
5800	561.1	619.6	559.7	5	.604 333.9	13.04 12.08
*5900	558.2	627.1	566.5	5	.607 339.8	13.07 11.93
*6000	555.5	634.6	572.7	5	.595 337.5	13.14 11.86
6100	552.5	641.7	578.9	4.9	.582 333.3	13.23 11.82
6200	549.2	648.3	584.3	4.9	.576 333.9	13.29 11.73
6300	548.3	657.7	592.8	5	.577 337.5	13.15 11.76
6400	547.3	666.9	600.5	4.9	.588 348.7	13.09 11.86
6500	546.4	676.3	608.9	4.9	.599 359.9	12.99 11.96
6600	543.7	683.2	614.5	4.9	.608 370.6	12.91 11.98
6700	538.8	687.3	618	4.9	.631 388.3	12.82 11.96
6800	533.1	690.3	619.9	4.9	.64 396	12.9 11.84
6900	527.4	692.9	622	4.9	.643 399	12.85 11.87
7000	522.5	696.5	624.4	5	.638 397.2	12.76 12.01
7100	515.5	696.9	624.5	4.9	.64 400.1	12.67 12.09
7200	508.7	697.4	624.1	4.9	.638 399	12.71 12.14
7300	500.6	695.8	622.4	4.9	.629 393.1	12.81 11.98
7400	493.5	695.3	620.9	4.9	.63 392.5	12.78 11.98
7500	485	692.6	618.1	5	.63 391.3	12.73 12

Average data in * band

5950 556.91 630.91 569.61 5 .6 338.71 13.1 11.9

RODGERS SPEED & MACHINE
5380 raymond way
central point or 97502
(541) 301-7869

Date : 03-02-2011 Time : 21:42:40
INF=.76 Mode : A-Sweep

T18:15 D03-26 Engine Type:sporty 360 updated
Timming:36 main:058 hi:080 #92irl Customer:brian mockrdge noz:410
lash in:022 ex:026h stack:6.00 headers 1 3/4 pump:400tp
dart head roller cam

FileName : LINDER#1.D86

Speed	C_TQ	CPower	Power	Fuel_P	bsfcalcalc/lbsA/F	A/F		
rpm	lbft	C_HP	HP	psi	lb/hphrlb/hr	Left	Right	
4200	467.2	373.6	345.4	50.3	1.305	454.1	4.18	4.24
4300	471.9	386.4	357.3	51.9	1.335	461.3	4.23	4.28
4400	474.9	397.9	367.7	53.5	1.303	465.8	4.27	4.3
4500	475.6	407.5	376.6	55.3	1.286	473	4.28	4.3
4600	477.5	418.2	386.6	57.2	1.276	480.9	4.3	4.35
4700	482.9	432.1	399.4	59.6	1.262	488.1	4.34	4.4
4800	488	446	412.1	62.3	1.241	495.9	4.43	4.53
*4900	493.4	460.3	425.4	64.7	1.228	506.4	4.57	4.7
*5000	501.6	477.5	441.1	66.6	1.207	513.5	4.66	4.76
5100	508.2	493.5	456	69.2	1.187	524	4.8	4.85
5200	513.4	508.4	469.6	72.3	1.174	535.8	4.89	4.95
5300	514.9	519.7	480	74.6	1.163	546.2	4.95	5.03
5400	513.4	527.9	487.4	76.9	1.159	556.7	4.99	5.07
5500	510.9	535	493.9	78.9	1.158	564.5	5	5.08
05600	507.7	541.4	499.5	81	1.162	574.3	5.01	5.08
5700	504.5	547.6	505.2	83.2	1.166	582.8	5.01	5.07
5800	501.2	553.5	510.4	85.3	1.167	590	5	5.02
5900	497.7	559.1	515.5	87.8	1.173	599.1	4.95	4.98
6000	493.1	563.4	519.3	89.1	1.178	607.6	4.94	4.96
6100	488.8	567.8	523.3	89.8	1.18	612.9	4.92	4.95
6200	484.1	571.5	526.3	90.5	1.182	618.7	4.9	4.94
6300	479.4	575.1	529.6	91.2	1.181	622	4.89	4.93
6400	473.6	577.1	531	91.7	1.18	625.3	4.89	4.93
6500	467.4	578.4	532.1	92.1	1.182	627.9	4.91	4.95
6600	460.3	578.4	531.6	92.7	1.183	629.8	4.91	4.95
6700	452.6	577.3	530.5	93.3	1.188	631.8	4.91	4.94
6800	444	574.8	527.7	93.8	1.194	633.8	4.91	4.95
6900	434.1	570.4	523.4	94.4	1.205	636.4	4.91	4.96
7000	425	566.4	519.2	95	1.22	639	4.9	4.96
7100	416.6	563.3	516.1	95.7	1.234	641	4.89	4.94
7200	407.2	558.3	511	96.5	1.245	642.9	4.9	4.93
7300	397.4	552.4	505.5	97.4	1.264	646.2	4.9	4.97
7400	388.8	547.9	500.7	98.1	1.282	648.1	4.89	4.94
7500	382.3	546	498.8	99.3	1.299	650.8	4.81	4.87
7600	377.5	546.2	498.5	100.2	1.311	654	4.8	4.87

Average data in * band

4950 497.52 468.95 433.3 65.65 1.22 509.99 4.61 4.73

RODGERS SPEED & MACHINE
5380 raymond way
central point or 97502
(541) 301-7869

Date : 03-19-2026 Time : 18:51:47
INF=.69 Mode : A-Sweep

T18:51 D03-19 Engine Type:427 ford clevor
Timing:28 pri:86 sec:92 Customer:sean gonzalis/rob hubbard
lash in:.020ex:.020 hot 1 3/4to 3" no muff fuel:10011
carb:1030qf spacer:1"

FileName : BILLM427.D20

Speed	C_TQ	CPower	Power	Fuel_P	bsfcalcalc/lbsA/F	A/F
rpm	lbft	C_HP	HP	psi	lb/hphrlb/hr	Left Right
5200	557.7	552.2	500.1	5	.553 277.8	12.43 13.04
5300	564.1	569.3	515.6	5	.573 286.6	12.51 12.86
5400	567.3	583.3	527.9	5	.583 300.8	12.67 12.66
5500	565.2	591.9	535.7	5	.596 315	12.76 12.57
5600	564.5	601.9	544.3	5	.603 323.3	12.7 12.48
5700	562.9	610.9	552.4	5	.604 329.2	12.91 12.21
5800	561.1	619.6	559.7	5	.604 333.9	13.04 12.08
*5900	558.2	627.1	566.5	5	.607 339.8	13.07 11.93
*6000	555.5	634.6	572.7	5	.595 337.5	13.14 11.86
6100	552.5	641.7	578.9	4.9	.582 333.3	13.23 11.82
6200	549.2	648.3	584.3	4.9	.576 333.9	13.29 11.73
6300	548.3	657.7	592.8	5	.577 337.5	13.15 11.76
6400	547.3	666.9	600.5	4.9	.588 348.7	13.09 11.86
6500	546.4	676.3	608.9	4.9	.599 359.9	12.99 11.96
6600	543.7	683.2	614.5	4.9	.608 370.6	12.91 11.98
6700	538.8	687.3	618	4.9	.631 388.3	12.82 11.96
6800	533.1	690.3	619.9	4.9	.64 396	12.9 11.84
6900	527.4	692.9	622	4.9	.643 399	12.85 11.87
7000	522.5	696.5	624.4	5	.638 397.2	12.76 12.01
7100	515.5	696.9	624.5	4.9	.64 400.1	12.67 12.09
7200	508.7	697.4	624.1	4.9	.638 399	12.71 12.14
7300	500.6	695.8	622.4	4.9	.629 393.1	12.81 11.98
7400	493.5	695.3	620.9	4.9	.63 392.5	12.78 11.98
7500	485	692.6	618.1	5	.63 391.3	12.73 12

Average data in * band

5950 556.91 630.91 569.61 5 .6 338.71 13.1 11.9